Miami Pallet Coolers



Sell beer by the case. Refrigerate the entire pallet.



GreenSensePlus Features: Saving Energy and Reducing Lifetime Costs

Raising standards | Reducing costs

Potential)

Energy saving EC Fans New technology doubles the lifetime whilst using up to 70% less energy



Electronic Control For accurate temperature display and controlled defrosting



R290 Refrigerant Increased efficiency. Zero ODP (Ozone Depletion). Negligible GWP (Global Warming

LED lighting

Longer lifetime and greatly reduced heat in the cabinet so less work for refrigeration unit






THE NEW MIAMI SERIES OF PALLET COOLERS refrigerates bulk displays of beer or soft drinks. The shopper simply opens the glass door and loads the slab directly from the pallet into their trolley. It's the ultimate retail experience: Cold beer, sold by the case and ready-to-drink. For the in-store team, replenishment couldn't be any easier or faster. Just swing open the doors, wheel out the old pallet and replace it with the new. Close the doors and let the powerful refrigeration cool the beers overnight, ready for thirsty shoppers the next day. Fast, efficient and very profitable.



Miami Product Features





Optional roll-in, roll-out trolley merchandising system is available with gravity feed shelves.

Suitable for Miami 600 and Miami 1620 models.

The advantages of the trolley system are:

- Reserve trolley kept in the cold room pre-chilling. Drinks are therefore always offered cold.
- No need to restock in the aisle.
- Faster restocking, less staff time used.
- No trip hazards in the aisle.
- · Commanding presence in-store.







Advanced manufacturing equipment

Rigorous quality control

Modern facility

Technical Specification and Features Miami Series							
	Miami 600	Miami 900	Miami 1070	Miami 1430 C	Miami 1430 CD	Miami 1430 CDD	Miami 1620 C
Suitable for pallet type			Half Euro Pallet	One full Euro Pallet or two half Euro Pallets	UK Pallet	Australian Pallet	
Trolley facings 500ml PET (Optional extra)	6	N/A	N/A	N/A	N/A	N/A	9 + 9
External Dimensions:							
Height (mm)	2184	2184	2184	2184	2184	2184	2184
Width (mm)	585	900	1060	1430	1430	1430	1630
Depth (mm)	940	940	940	1053	1253	1418	940
Depth with doors at 90 degrees (mm)	1416	1279	1359	1665	1865	2030	1644
Minimum ventilation space above cabinet	200	200	200	200	200	200	200
Internal Dimensions:							
Height (mm)	1768	1768	1768	1768	1768	1768	1768
Width (mm)	507	821	981	1300	1300	1300	1434
Depth (mm)	715	715	715	840	1040	1205	715
Number of shelves as standard	1	1	1	0	0	0	0
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Hertz (Hz)	50	50	50	50	50	50	50
Start current (A)	3.5	4.5	4.8	6.5	6.5	7.4	6.5
Run current (A)	2.2	2.6	3	4	4	5	4
Power cable length (m)	4.5	4.5	4.5	4.5	4.5	4.5	4.5
Climate class (ISO)	3	3	3	3	3	3	3
Gross weight (Kgs)	170	210	215	295	305	315	303
Net weight (Kgs)	163	199	202	274	282	293	279
Refrigerant	R290	R290	R290	R290	R290	R290	R290
Fans	EC	EC	EC	EC	EC	EC	EC
Detachable Refrigeration Packs	No	No	No	Yes	Yes	Yes	Yes
LED Side lights (2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LED horizontal top interior light	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Led Canopy Light	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Light control button	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Electronic Control with Display	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power on / off switch	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Movement Sensor	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Side buffers	No	No	No	Yes	Yes	Yes	Yes
Rear buffer/s	Yes	Yes	Yes	Yes	Yes	Yes	Yes
40' container loading quantity	36	24	24	16	9	8	14





Hawarden Business Park, Hawarden, Flintshire, North Wales, CH5 3US, United Kingdom tel 01244 321320 | international tel +44 1244 321320 www.staycold.co.uk | email: sales@staycold.co.uk

In the interests of continuous product development specifications may be changed without notice.